| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-------------|--------------------------|--|
| A computer-based social intervention for students with high functioning ASD: Using technology to improve special education | \$0 | Q4.L.D | 3-C Institute for Social Development |
| Dynamic E-Learning to Improve Postsecondary Transition Outcomes for Secondary Students with High Functioning Autism | \$0 | Q4.L.D | 3-C Institute for Social Development |
| An evaluation of a behaviorally based social skills group for young children diagnosed with autism | \$20,000 | Q4.L.D | Autism Partnership Foundation |
| Study of Vitamin D during Pregnancy to Prevent the Recurrence of Autism in Newborn Siblings | \$16,436 | Q4.S.H | Autism Research and Resources of Oregon |
| THE GENETIC AND NEUROANATOMICAL ORIGIN OF SOCIAL BEHAVIOR | \$391,250 | Q4.S.B | BAYLOR COLLEGE OF MEDICINE |
| Integrative system biology of iPSC-induced neurons for identifying novel drug targets | \$0 | Q4.S.B | Baylor College of Medicine |
| Rat knockout models of ASD | \$0 | Q4.S.B | Baylor College of Medicine |
| Treating autism and epileptic discharges with valproic acid | \$0 | Q4.S.A | Boston Children's Hospital |
| Preclinical Autism Consortium for Therapeutics (PACT)- Boston Children's Hospital | \$316,301 | Q4.S.B | Boston Children's Hospital |
| Inter-regional connectivity in the speech network of minimally verbal children | \$379,502 | Q4.S.G | Boston University |
| A non-interactive method for teaching noun and verb meanings to young children with ASD | \$0 | Q4.Other | Boston University |
| Rebuilding Inhibition in the Autistic Brain | \$0 | Q4.S.B | Brandeis University |
| Mechanisms of circuit failure and treatments in patient- derived neurons in autism | \$406,250 | Q4.S.B | BROWN UNIVERSITY |
| A probiotic therapy for autism | \$125,000 | Q4.Other | California Institute of Technology |
| Clinical Trial of a Comprehensive Treatment for High- Functioning Children with ASD | \$1,338,504 | Q4.S.F | Canisius College |
| Efficacy of a Comprehensive Scool-Based Intervention for Children with High-Functioning Autism Spectrum Disorders (HFASDs) | \$828,257 | Q4.L.D | Canisius College |
| Preclinical evaluation of NMDA receptor antagonists for treating Rett Syndrome | \$396,250 | Q4.S.B | CASE WESTERN RESERVE UNIVERSITY |
| Randomized trial of a web-based system for building Individualized Education Plans. | \$30,000 | Q4.S.C | Center for Autism and Related Disorders (CARD) |
| Using eLearning to train educational staff to implement paired-choice preference assessments | \$35,000 | Q4.S.C | Center for Autism and Related Disorders (CARD) |
| Validity of the CARD Indirect Functional Analysis. | \$32,000 | Q4.S.C | Center for Autism and Related Disorders (CARD) |
| Teaching children with autism to identify others' knowledge | \$15,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| Teaching children with autism to deal with jealousy constructively | \$20,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| Improving Cost Effectiveness Through Parent Training | \$38,500 | Q4.L.D | Center for Autism and Related Disorders (CARD) |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-----------|--------------------------|---|
| Evaluation of group-based implementation of applied behavior analysis | \$38,500 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| Teaching children with autism self-monitoring skills | \$10,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| ncreasing flexibility in children with autism | \$9,500 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| Teaching children with autism to identify social saliency: Shifting attention | \$10,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| eaching children with autism to respond to subtle social cues: Desires | \$32,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| eaching children with autism to detect deception | \$40,000 | Q4.L.D | Center for Autism and Related Disorders (CARD) |
| An Evaluation of a Mobile Application Designed to Teach Receptive Language Skills to Children with Autism Spectrum Disorder | \$60,400 | Q4.Other | Center for Autism and Related Disorders (CARD) |
| evaluation of effects of intensity and duration on outcomes across treatment domains for children with autism spectrum disorder | \$21,700 | Q4.Other | Center for Autism and Related Disorders (CARD) |
| An Evaluation of the Impact of Supervision Intensity, Supervisor Qualifications, and Caseload on Outcomes in he Treatment of Autism Spectrum Disorder | \$50,750 | Q4.Other | Center for Autism and Related Disorders (CARD) |
| ntensity and Learning Outcomes in the Treatment of Children with Autism Spectrum Disorder | \$63,000 | Q4.Other | Center for Autism and Related Disorders (CARD) |
| A Controlled Trial of Transcendental Meditation to Treat Anxiety and Stress Among Adolescents with Autism Spectrum Disorders | \$0 | Q4.S.A | Center for Autism Assessment and Treatment |
| Using lag schedules of reinforcement to teach play skills to children with autism spectrum disorders in an early childhood classroom | \$0 | Q4.L.D | Chapin Hall at University of Chicago |
| Functional consequences of disrupted MET signaling | \$48,509 | Q4.S.B | Children's Hospital Los Angeles |
| Response Heterogeneity to GI Treatment, Autism Symptom and Improved Oxidative Stress | \$144,971 | Q4.L.C | Children's Hospital Los Angeles |
| The BUFFET Program: Building Up Food Flexibility and Exposure Treatment | \$54,299 | Q4.Other | Children's Hospital of Philadelphia |
| A Community-Based Executive Function Intervention for Low-Income Children with ADHD and ASD | \$0 | Q4.L.D | Children's Research Institute (CRI) Children's National Medical Center |
| Acamprosate in Youth with Autism Spectrum Disorders | \$149,415 | Q4.S.F | Cincinnati Children's Hospital Medical Center |
| Pinpointing Genes Underlying Autism in Chromosomal Region 16p11.2 | \$30,000 | Q4.S.B | Cold Spring Harbor Laboratory |
| A novel window into ASD through genetic targeting of striosomes - Project 1 | \$82,473 | Q4.S.B | Cold Spring Harbor Laboratory |
| 6p11.2: Defining the gene(s) responsible (grant 1) | \$210,240 | Q4.S.B | Cold Spring Harbor Laboratory |
| Whole Brain Mapping of the Effects of Intranasal Oxytocin in CNTNAP2 KO Mouse Model of Autism | \$30,000 | Q4.Other | Cold Spring Harbor Laboratory |

| Autism-linked TBR1 gene in learning-related synaptic plasticity Investigating the effects of chromosome 22q11.2 deletions Growing Up Aware: A parent-based sexuality intervention for children with autism spectrum disorders Efficacy of N-acetyl cysteine in autism Misregulation of microtubule dynamics in Autism Understanding copy number variants associated with autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 50,000 5,000 96,667 | Q4.S.B Q4.S.B Q4.S.H Q4.S.C Q4.S.B Q4.S.B Q4.S.B | Columbia University Columbia University Columbia University Deakin University Drexel University Duke University Duke University |
|---|---------------------------|--|---|
| deletions Growing Up Aware: A parent-based sexuality intervention for children with autism spectrum disorders Efficacy of N-acetyl cysteine in autism Misregulation of microtubule dynamics in Autism Understanding copy number variants associated with autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 50,000 5,000 96,667 | Q4.S.H Q4.S.C Q4.S.B Q4.S.B | Columbia University Deakin University Drexel University Duke University |
| intervention for children with autism spectrum disorders Efficacy of N-acetyl cysteine in autism \$0 Misregulation of microtubule dynamics in Autism Understanding copy number variants associated with autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 50,000 5,000 96,667 | Q4.S.C Q4.S.B Q4.S.B | Deakin University Drexel University Duke University |
| Misregulation of microtubule dynamics in Autism Understanding copy number variants associated with autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 50,000 5,000 96,667 | Q4.S.B Q4.S.B Q4.S.B | Drexel University Duke University |
| Understanding copy number variants associated with autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 50,000 5,000 96,667 | Q4.S.B | Duke University |
| autism Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 6,000 96,667 | Q4.S.B | , |
| dysfunction underlying ASD-like behaviors using a novel genetic mouse model A novel neural circuit analysis paradigm to model autism \$196,6 | 06,667 | | Duke University |
| | , | Q4.S.B | |
| | | | Duke University |
| 2013 Dup15q Alliance Scientific Meeting Support \$0 | | Q4.S.E | Dup15q Alliance |
| The Effects of Intranasal Oxytocin on Social Cognition and Neural Activity \$401,0 | 01,068 | Q4.S.A | Emory University |
| A NOVEL TRANSLATIONAL MODEL OF AUTISUM \$223, SPECTRUM DISORDER | 23,125 | Q4.S.B | Emory University |
| Characterization of the Schizophrenia-associated 3q29 \$477,2 Deletion in Mouse | 77,402 | Q4.S.B | Emory University |
| Oxytocin Receptors and Social Behavior \$440,3 | 10,363 | Q4.S.B | Emory University |
| Novel approaches to enhance social cognition by stimulating central oxytocin release \$149,6 | 19,665 | Q4.S.B | Emory University |
| Efficacy of the Direct Instruction Language for Learning Program to Promote Expressive and Receptive Language in Children with Autism Spectrum Disorder \$1,117 | 111,918 | Q4.S.C | Emory University |
| 1/5-Randomized Trial of Parent Training for Young \$242,4 Children with Autism | 12,475 | Q4.S.D | Emory University |
| Changing developmental trajectories through early treatment \$652,2 | 52,271 | Q4.L.D | Emory University |
| Therapy Management Software for Naturalistic Model-Based Behavioral Interventions \$341,8 | 11,576 | Q4.S.C | EXPERIAD, LLC |
| A randomized trial of the SCERTS curriculum for students with autism spectrum disorders in early elementary school classrooms \$0\$ | | Q4.S.D | Florida State University |
| Using Growth Trajectories To Predict Distal Outcomes in Parent-Implemented Intervention for Toddlers \$29,50 | 9,500 | Q4.L.D | Florida State University |
| Functional connectivity in monogenic mouse models of autism \$55,26 | 5,260 | Q4.S.B | Fondazione Istituto Italiano di Tecnologia |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-----------|--------------------------|--|
| Dissecting striatal circuit dynamics during repetitive behaviors in autism | \$182,254 | Q4.S.B | FundaÁ"o D. Anna de Sommer Champalimaud e Dr. Carlos Montez Champalimaud |
| CAREER: Combining Crowdsourcing and Computational Creativity to Enable Narrative Generation for Education, Training, and Healthcare | \$99,657 | Q4.Other | Georgia Tech Research Corporation |
| iPrompt to improve teaching students with ASD | \$0 | Q4.L.D | HandHold Adaptive, LLC |
| Handheld Techonology for Speech Development in Students with Autism spectrum Disorders | \$0 | Q4.L.D | HandHold Adaptive, LLC |
| Optical imaging of circuit dynamics in autism models in virtual reality | \$184,781 | Q4.S.B | Harvard Medical School |
| Deep Phenotyping of Autism Spectrum Disorder Mice | \$216,994 | Q4.S.B | Harvard University |
| Analysis of oxytocin function in brain circuits processing social cues | \$62,500 | Q4.S.B | Harvard University |
| Prosodic and pragmatic training in highly verbal children with autism | \$100,000 | Q4.Other | Harvard University |
| Exploration of resting-state network dynamics in autism spectrum disorders | \$30,000 | Q4.Other | Harvard University |
| Intranasal oxytocin for the treatment of children and adolescents with autism spectrum disorders (ASD) | \$0 | Q4.S.C | Holland Bloorview Kids Rehabilitation Hospital |
| Treatment of Overweight Induced by Antipsychotic Medication in Young People with ASD | \$273,544 | Q4.L.A | Holland Bloorview Kids Rehabilitation Hospital |
| Psychiatric Crisis among Youth and Transition-age Adults with Autism Spectrum Disorder | \$30,000 | Q4.S.H | HUGO W. MOSER RESEARCH INSTITUTE KENNEDY KRIEGER |
| Serotonin Receptor Subtypes as Pharmacotherapeutic Targets in Autism | \$165,000 | Q4.Other | HUSSMAN INSTITUTE FOR AUTISM, INC. |
| Identifying therapeutic targets for autism using Shank3- deficient mice | \$486,501 | Q4.S.B | ICAHN SCHOOL OF MEDICINE AT MOUNT SINAI |
| Prefrontal function in the Shank3-deficient rat: A first rat model for ASD | \$544,401 | Q4.S.B | ICAHN SCHOOL OF MEDICINE AT MOUNT SINAI |
| Neural Effects of Sustained Oxytocin Treatment in Children with Autism | \$243,424 | Q4.L.A | ICAHN SCHOOL OF MEDICINE AT MOUNT SINAI |
| Piloting Treatment with Insulin-Like Growth Factor-1 in Phelan-McDermid Syndrome | \$289,286 | Q4.L.A | ICAHN SCHOOL OF MEDICINE AT MOUNT SINAI |
| Human Clinical Trial of IGF-1 in Children with Idiopathic ASD | \$0 | Q4.L.C | ICAHN SCHOOL OF MEDICINE AT MOUNT SINAI |
| Parent-implemented social-pragmatic communication intervention for young children with developmental disabilities | \$0 | Q4.L.D | Illinois State University |
| Casein Kinase 1 Inhibitors for Treatment of Autism | \$349,610 | Q4.S.B | INTRA-CELLULAR THERAPIES, INC. |
| The role of glutamate receptor intereacting proteins in autism | \$125,000 | Q4.S.B | Johns Hopkins University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-------------|--------------------------|---------------------------------------|
| Deep Brain Stimulation for Autistic Self-Injurious Behavior | \$60,000 | Q4.S.B | Johns Hopkins University |
| Understanding brain disorders related to the 15q11.2 chromosomal region | \$125,000 | Q4.S.B | Johns Hopkins University |
| 1/5-Randomized Trial of Parent Training for Young Children with Autism | \$226,275 | Q4.S.D | Johns Hopkins University |
| Comprehensive parent-mediated intervention for children with autism in southern Taiwan | \$0 | Q4.S.D | Johns Hopkins University |
| loint attention mediated learning intervention for toddlers with autism spectrum disorders and their families | \$888,227 | Q4.S.D | Johns Hopkins University |
| Effects of self-generated experiences on social cognitive levelopment in young children with autism | \$149,998 | Q4.S.F | Kennedy Krieger Institute |
| Development of a social and communication intervention or preschoolers with autism | \$499,911 | Q4.L.D | Kennedy Krieger Institute |
| A zebrafish model to identify epigenetic mechanisms elevant to autism | \$60,000 | Q4.S.B | King's College London |
| Role of Caspr2 (CNTNAP2) in brain circuits - Project 1 | \$154,145 | Q4.S.B | King's College London |
| Functional analysis of the Schizophrenia and Autism Spectrum Disorder gene TCF4 i | \$457,500 | Q4.S.B | LIEBER INSTITUTE, INC. |
| Autism Intervention Research Network on Physical Health (AIR-P network) | \$1,234,638 | Q4.S.A | Massachusetts General Hospital |
| The tissue-specific transcriptome anatomy of 16p11.2 nicrodeletion syndrome | \$60,000 | Q4.S.B | Massachusetts General Hospital |
| Molecular consequences of strong effect ASD mutations including 16p11.2 | \$125,000 | Q4.S.B | Massachusetts General Hospital |
| A randomized, controlled trial of intranasal oxytocin as an adjunct to behavioral therapy for autism spectrum disorder | \$0 | Q4.S.C | Massachusetts General Hospital |
| Behavioral and Neural Response to Memantine in Adolescents with Autism | \$186,192 | Q4.S.F | Massachusetts General Hospital |
| A novel window into ASD through genetic targeting of striosomes - Core | \$83,764 | Q4.S.B | Massachusetts Institute of Technology |
| Synaptic pathophysiology of 16p11.2 model mice | \$125,000 | Q4.S.B | Massachusetts Institute of Technology |
| Neural and cognitive mechanisms of autism | \$0 | Q4.S.B | Massachusetts Institute of Technology |
| The role of PTCHD1 in thalamic reticular nucleus unction and ASD | \$125,000 | Q4.S.B | Massachusetts Institute of Technology |
| GABA-A receptor subtypes as therapeutic targets in autism | \$60,000 | Q4.Other | MCLEAN HOSPITAL |
| Biomarkers in Autism of Aripiprazole and Risperidone (Featment (BAART) | \$630,554 | Q4.S.F | MEDICAL UNIVERSITY OF SOUTH CAROLINA |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-------------|--------------------------|---------------------------------|
| Comparative Efficacy of a Self-directed and Therapist- assisted Telehealth Parent Training Intervention for Children with ASD | \$299,988 | Q4.L.D | Michigan State University |
| Enhancing traditional group social skill instruction using video-based group instruction tactics | \$10,000 | Q4.L.D | Michigan State University |
| The use of non-invasive brain stimulation to improve social relating in autism spectrum disorders | \$28,000 | Q4.S.F | Monash University |
| Identifying high-impact therapeutic targets for autism spectrum disorders using rat models | \$0 | Q4.S.B | Mount Sinai School of Medicine |
| Studies of genetic and metabolic disorders, autism and premature aging | \$157,328 | Q4.S.B | National Institutes of Health |
| Regulation of Neuroligins and Effects on Synapse Number and Function | \$759,674 | Q4.S.B | National Institutes of Health |
| Roles of Oxytocin and Vasopressin in Brain | \$1,947,833 | Q4.S.B | National Institutes of Health |
| A behavioral analysis of anxiety in children with autism | \$6,815 | Q4.S.A | New England Center for Children |
| Evaluating the effects of isolated reinforcers on skill acquisition | \$2,217 | Q4.S.C | New England Center for Children |
| Evaluating the effects of intermittent reinforcement during paired stimulus preference assessments | \$2,217 | Q4.S.C | New England Center for Children |
| Categories of Preference and Their Reinforcing Efficacy | \$2,217 | Q4.S.C | New England Center for Children |
| An evaluation of behavior sampling procedures for event recording | \$2,217 | Q4.S.C | New England Center for Children |
| An analysis of peer attention in maintaining problem behavior in children with autism | \$4,135 | Q4.S.C | New England Center for Children |
| Use of a visual imagining procedure to teach remembering | \$4,135 | Q4.S.C | New England Center for Children |
| Determining reinforcer efficacy using demand curves& progressive ratio break points | \$4,135 | Q4.S.C | New England Center for Children |
| Do children with autism spectrum disorders prefer predictable schedules? | \$1,750 | Q4.S.C | New England Center for Children |
| Enhancing Reading Comprehension: An Anaphoric Cuing Procedure | \$1,750 | Q4.S.C | New England Center for Children |
| Contingency analysis of observing and attending in intellectual disabilities | \$1,750 | Q4.S.C | New England Center for Children |
| Teaching a generalized repertoire of helping | \$1,750 | Q4.S.C | New England Center for Children |
| Using matrix training to promote generalization of foundational skills | \$1,750 | Q4.S.C | New England Center for Children |
| Using matrix training to promote generalization of waiting | \$1,750 | Q4.S.C | New England Center for Children |
| Preference for precommitment choice in children with autism | \$1,750 | Q4.S.C | New England Center for Children |
| Multiple Mands and the Resurgence of Behavior | \$1,750 | Q4.S.C | New England Center for Children |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|---------|--------------------------|---------------------------------|
| An Evaluation of Decreasing Vocal & Motor Stereotypy in Children with Autism | \$6,815 | Q4.S.C | New England Center for Children |
| The Effects of Varying Procedural Integrity | \$6,815 | Q4.S.C | New England Center for Children |
| Functional Analysis & Treatment Evaluation of Problem Behavior during Transitions | \$6,815 | Q4.S.C | New England Center for Children |
| Comparison of momentary time sampling methods within a practical setting | \$6,815 | Q4.S.C | New England Center for Children |
| Teaching Verbal Behavior: A Response Prompt Evaluation | \$6,815 | Q4.S.C | New England Center for Children |
| From Public to Private Masturbation: An Assessment of Redirection Procedures & Discrimination Training | \$6,815 | Q4.S.C | New England Center for Children |
| Training DRA in different contexts to lower resistance to extinction of disruptive behavior | \$6,815 | Q4.S.C | New England Center for Children |
| Teaching complex skills using observational learning with video modeling to children diagnosed with autism | \$6,815 | Q4.S.C | New England Center for Children |
| A Functional Analysis of Joint Attention | \$6,815 | Q4.S.C | New England Center for Children |
| Combined-category preference assessment: Do edible and leisure items displace attention? | \$4,159 | Q4.S.C | New England Center for Children |
| Functional analysis & treatment of immediate echolalia | \$4,159 | Q4.S.C | New England Center for Children |
| A Comparison of Differential Reinforcement Schedules to Reduce Automatically Maintained Stereotypy | \$4,159 | Q4.S.C | New England Center for Children |
| Identifying potential positive reinforcement contingencies during the functional analysis escape condition | \$4,159 | Q4.S.C | New England Center for Children |
| Assessing the utility of a transfer trial procedure for promoting skill acquisition | \$4,159 | Q4.S.C | New England Center for Children |
| Identifying reinforcers for use in the treatment of automatically reinforced behavior | \$4,159 | Q4.S.C | New England Center for Children |
| A comparison of the effects of indirect assessments and demand assessments on functional analysis outcomes | \$4,159 | Q4.S.C | New England Center for Children |
| Teaching One Step Imitation Actions to Children with Autism Using Matrix Training | \$2,716 | Q4.S.C | New England Center for Children |
| Teaching Social Orienting in Children with Autism | \$2,716 | Q4.S.C | New England Center for Children |
| Teaching Joint Attention Using Social vs Edible Reinforcers and Assessing Changes in Affect | \$2,716 | Q4.S.C | New England Center for Children |
| Comparing the effectiveness of video modeling and video prompting with children with autism | \$2,716 | Q4.S.C | New England Center for Children |
| Displacement and underevaluation of healthful foods by snack foods in preference assessments and surveys | \$899 | Q4.S.C | New England Center for Children |
| Using Differential Reinforcement for Independent Responding | \$899 | Q4.S.C | New England Center for Children |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|---------|--------------------------|---------------------------------|
| A parametric analysis of the effect of procedural integrity errors in delivering reinformcement on skill activities | \$899 | Q4.S.C | New England Center for Children |
| Reinforcer effectiveness of healthy food | \$899 | Q4.S.C | New England Center for Children |
| Transferring stimulus control to promote more independent leisure initiation | \$0 | Q4.S.C | New England Center for Children |
| Increasing variability in play in children with autism | \$2,595 | Q4.S.C | New England Center for Children |
| An evaluation of outcomes for brief and extended response restriction preference assessments | \$2,595 | Q4.S.C | New England Center for Children |
| Teaching social referencing to children with autism spectrum disorders | \$2,716 | Q4.S.D | New England Center for Children |
| Using the Early Skills Assessment Tool to Evaluate Outcomes in Children with Autism Spectrum Disorders | \$2,716 | Q4.S.D | New England Center for Children |
| Assessing Preference and Reinforcer Efficacy of Social Consequences | \$899 | Q4.S.D | New England Center for Children |
| A comparison of three methods for identifying reinforcers for children with autism | \$899 | Q4.S.D | New England Center for Children |
| Can a DRA without Extinction decrease inappropriate food consumption and maintain its effects following a delay to reinforcement? | \$4,135 | Q4.S.H | New England Center for Children |
| Comparing the effects of DRO & DRL schedules on problem behavior | \$1,143 | Q4.S.H | New England Center for Children |
| Evaluating the use of alternative reinforcers and a work contingency for problem behavior maintained by tangible reinforcement | \$1,143 | Q4.S.H | New England Center for Children |
| Relative efficacy of two NCR treatments for reducing escape-maintained problem behavior | \$4,159 | Q4.S.H | New England Center for Children |
| An evaluation of procedures for decreasing automatically reinforced problem behavior | \$4,159 | Q4.S.H | New England Center for Children |
| Effects of negative reinforcer value manipulations without extinction on escape-maintained problem behavior | \$4,159 | Q4.S.H | New England Center for Children |
| Comparison of DRA and DNRA as Treatment for Problem Behavior Maintained by Escape from Social Demands | \$899 | Q4.S.H | New England Center for Children |
| Teaching Core Skills: Evaluating a Targeted Curriculum | \$1,750 | Q4.L.D | New England Center for Children |
| Strategies to increase cooperation during transitions: A evaluation of student preference | \$1,750 | Q4.L.D | New England Center for Children |
| Use of a multiple schedule to treat perseverative behavior | \$1,143 | Q4.Other | New England Center for Children |
| Evaluating direct and indirect reinforcement contingencies in children with autism | \$1,143 | Q4.Other | New England Center for Children |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-----------|--------------------------|---|
| Teaching Cooking Skills Using Matrix Training and Video Prompting | \$2,716 | Q4.Other | New England Center for Children |
| Conditioning of Verbal Praise | \$899 | Q4.Other | New England Center for Children |
| A comparison of BST and enhanced instruction training for conducting reinforcer assessments | \$899 | Q4.Other | New England Center for Children |
| NRI: Music-based Interactive Robotic Orchestration for Children with ASD | \$219,008 | Q4.Other | NEW YORK INST OF TECHNOLOGY |
| Home-based system for biobehavioral recording of individuals with autism | \$441,100 | Q4.Other | Northeastern University |
| Mechanisms of stress-enhanced aversive conditioning | \$381,250 | Q4.S.B | NORTHWESTERN UNIVERSITY |
| Cerebellar signaling in mouse models of autism | \$0 | Q4.S.B | NORTHWESTERN UNIVERSITY |
| 2/5-Randomized Trial of Parent Training for Young Children with Autism | \$244,127 | Q4.S.D | OHIO STATE UNIVERSITY |
| Vicarious Neural Activity, Genetic Differences and Social Fear Learning | \$56,978 | Q4.S.B | Oregon Health & Science University |
| Effects of incidental teaching on expressive language of school age children with ASD who use AAC | \$0 | Q4.L.D | Pennsylvania State University |
| Role of the CUL3-mediated ubiquitination pathway in autism | \$59,340 | Q4.S.B | Portland State University |
| Comprehensive autism program using Strategies for Teaching based on Autism Research | \$0 | Q4.S.D | Portland State University |
| Hybrid social communication intervention for children with ASD: Sibling mediation and video modeling | \$0 | Q4.Other | Portland State University |
| PsychoGenics Inc. | \$218,567 | Q4.S.B | PsychoGenics Inc. |
| An experimental evaluation of matrix training to teach graphic symbol combinations in severe autism | \$10,000 | Q4.S.G | Purdue University |
| Examining the efficacy of classroom pivotal response teaching in classroom environments | \$403,996 | Q4.S.D | Rady Children's Hospital Health Center |
| Rapid drug discovery in genetic models of autism | \$59,834 | Q4.S.B | Research Center of Centre hospitalier de l'UniversitÈ de MontrÈal |
| A mouse model of top-down interactions | \$100,000 | Q4.S.B | Rockefeller University |
| Enhancing Social Learning Through Oxytocin Augmentation of Social Skills Groups in Children with ASD | \$0 | Q4.L.D | Rush University |
| Testing brain overgrowth and synaptic models of autism using NPCs and neurons from patient-derived iPS cells | \$0 | Q4.S.B | Salk Institute for Biological Studies |
| Behavioral evaluation of a novel autism mouse model | \$30,000 | Q4.S.B | Shriners Hospitals for Children - Northern California |
| Enhancing Augmentative and Alternative Communication Rates in pre-K Through 6 | \$149,995 | Q4.L.D | Speak Agent |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-----------|--------------------------|---|
| Factors associated with positive outcomes for children and youth with autism: Secondary analysis of data from SEELS and NLTS2 | \$0 | Q4.L.D | SRI International |
| Neural mechanisms of social reward in mouse models of autism | \$124,997 | Q4.S.B | Stanford University |
| Chromatin remodeling in autism | \$125,000 | Q4.S.B | Stanford University |
| Neuroligin function in the prefrontal cortex and autism pathogenesis | \$125,000 | Q4.S.B | Stanford University |
| 16p11.2 deletion mice: Autism-relevant phenotypes and treatment discovery | \$200,000 | Q4.S.B | Stanford University |
| Biomarker discovery for low sociability: A monkey model | \$125,000 | Q4.S.B | Stanford University |
| Pivotal Response Treatment Package for Young Children with Autism | \$240,750 | Q4.S.C | Stanford University |
| Randomized controlled trial of oxytocin treatment for social deficits in children with autism | \$0 | Q4.L.A | Stanford University |
| The role of vasopressin in the social deficits of autism | \$196,250 | Q4.L.A | Stanford University |
| Emergent communication skills of nonverbal children with autism facilitated by relational responding | \$0 | Q4.S.G | Swansea University |
| 3/3 Treatment of anxiety in autism spectrum disorder | \$189,711 | Q4.S.A | TEMPLE UNIV OF THE COMMONWEALTH |
| Increasing variability of verbal initiations through the responses of conversation patterns | \$0 | Q4.Other | Texas Christian University |
| Disruption of Cortical Projection Neurons, Circuits, and Cognition in ASD | \$120,953 | Q4.S.B | The George Washington University |
| Evaluation of synchronous online parent skill training | \$0 | Q4.L.D | The Research Foundation of the State University of New York |
| Deficits in tonic inhibition and the pathology of autism spectrum disorders | \$0 | Q4.S.B | Tufts University |
| Neurosteroids Reverse Tonic Inhibition Deficits in Fragile X Syndrome | \$196,672 | Q4.Other | Tufts University |
| Neurosteroids Reverse Tonic Inhibition Deficits in Fragile X Syndrome | \$196,672 | Q4.Other | Tufts University |
| Circuit-level developmental and functional dynamics in an ASD genetic model | \$60,000 | Q4.S.B | Univeristy of Queensland |
| Reversing BDNF Impairments in Rett Mice with TRPC Channel Activators | \$142,398 | Q4.S.B | UNIVERSITY OF ALABAMA AT BIRMINGHAM |
| Healthy GFCF Modified Atkins Diet for Treating Seizures in Autism | \$0 | Q4.S.C | University of Arkansas |
| How do autism-related mutations affect basal ganglia function? | \$62,500 | Q4.S.B | University of California, Berkeley |
| 16p11.2 deletion mice: autism-relevant phenotypes and treatment discovery | \$200,000 | Q4.S.B | University of California, Davis |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-------------|--------------------------|---------------------------------------|
| Preclinical Autism Consortium for Therapeutics (PACT) | \$389,677 | Q4.S.B | University of California, Davis |
| Characterization of brain and behavior in 7q11.23 duplication syndrome-Project 1 | \$90,696 | Q4.S.B | University of California, Davis |
| Effects of Chronic Intranasal Oxytocin | \$125,448 | Q4.S.B | University of California, Davis |
| Effects of Chronic Intranasal Oxytocin | \$1,103,903 | Q4.S.B | University of California, Davis |
| Intervention effects of intensity and delivery style for toddlers with ASD | \$2,686,558 | Q4.S.D | University of California, Davis |
| Strengthening the effects of parent-implemented early intervention to improve symptoms of ASD | \$257,569 | Q4.S.D | University of California, Davis |
| Identifying markers for treatment response to cognitive training in autism spectrum disorders | \$0 | Q4.S.F | University of California, Davis |
| A Controlled Trial of Sertraline in Young Children with ASD | \$300,000 | Q4.L.A | University of California, Davis |
| Controlled trial of sertraline in young children with Fragile X Syndrome | \$0 | Q4.L.A | University of California, Davis |
| Virtual reality applications for the study of attention and learning in children with autism and ADHD | \$395,450 | Q4.L.D | University of California, Davis |
| Training Community Providers to Implement an Evidence-Based Early Intervention Program | \$149,733 | Q4.Other | University of California, Davis |
| Endocannabanoid Enhancement of Sociability in Autism-related Mouse Models | \$25,000 | Q4.S.B | University of California, Irvine |
| 1/3 Treatment of Anxiety in Autism Spectrum Disorder | \$223,685 | Q4.S.A | University of California, Los Angeles |
| Anxiety treatment for children with autism and intellectual disability | \$0 | Q4.S.A | University of California, Los Angeles |
| Exploring VIPR2 microduplication linkages to autism in a mouse model | \$0 | Q4.S.B | University of California, Los Angeles |
| Linking cortical circuit dysfunction and abnormal behavior in genetic mouse models of autism | \$258,358 | Q4.S.B | University of California, Los Angeles |
| Role of Caspr2 (CNTNAP2) in brain circuits - Project 2 | \$159,168 | Q4.S.B | University of California, Los Angeles |
| Mechanism and treatment of ASD related behavior in the Cntnap2 knockout mouse model | \$0 | Q4.S.B | University of California, Los Angeles |
| Daily ratings of ASD Symptoms with digital media devices: An initial validity study | \$0 | Q4.S.C | University of California, Los Angeles |
| Sensory Over Responsivity & Anxiety in Youth with Autism | \$25,658 | Q4.S.C | University of California, Los Angeles |
| Autism Intervention Research Network on Behavioral Health (AIR-B network) | \$1,000,000 | Q4.S.D | University of California, Los Angeles |
| Adaptive Interventions for Minimally Verbal Children with ASD in the Community | \$2,563,341 | Q4.S.G | University of California, Los Angeles |
| Augmenting language interventions for ASD: A translational approach | \$274,364 | Q4.L.A | University of California, Los Angeles |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-------------|--------------------------|---|
| Targeting joint engagement in infants at risk for ASD: Integrating treatment wit | \$274,972 | Q4.L.B | University of California, Los Angeles |
| Cognitive behavioral therapy for core autism symptoms in school-age children | \$0 | Q4.L.D | University of California, Los Angeles |
| Deployment focused model of JASPER for preschoolers with autism spectrum disorders | \$0 | Q4.L.D | University of California, Los Angeles |
| Effectiveness of a virtual coach application in social skills training for teens with ASD | \$0 | Q4.L.D | University of California, Los Angeles |
| Treatment of Autism Symptoms in Children (TASC): Initial RCT with Active Control | \$385,000 | Q4.Other | University of California, Los Angeles |
| New Experimental Medicine Studies: Fast-Fail Trials in Autism Spectrum Disorders | \$306,043 | Q4.Other | University of California, Los Angeles |
| Fast Fail Trials in Autism Spectrum Disorders (FAST-AS) | \$6,092,360 | Q4.Other | University of California, Los Angeles |
| Adapting an Evidence-Based Program for Infants and Toddlers at High Risk for Autism | \$312,778 | Q4.L.D | University of California, San Diego |
| The Role of Cation/Proton Exchanger NHE9 in Autism | \$62,500 | Q4.S.B | University of California, San Francisco |
| Investigating Wnt signaling variants in mouse models of ASD | \$60,000 | Q4.S.B | University of California, San Francisco |
| Investigations of a Proposed Molecular Feedback Loop in Cortical Neurons in Psychiatric Pathogenesis | \$25,000 | Q4.S.B | University of California, San Francisco |
| Testing brain overgrowth and synaptic models of autism using NPCs and neurons from patient-derived iPS cells | \$0 | Q4.S.B | University of California, San Francisco |
| Microcircuit endophenotypes for autism | \$62,500 | Q4.S.B | University of California, San Francisco |
| In vivo approach to screen ASD allele functions in cortical interneurons | \$62,500 | Q4.S.B | University of California, San Francisco |
| (SDAS) Peer-victimization of Adolescents with ASD: Filling the Knowledge Gaps to Create Anti-bullying Interventions | \$100,000 | Q4.Other | University of California, San Francisco |
| A peer-facilitated, multi-component social skills intervention for adolescents with ASD | \$20,000 | Q4.L.D | University of California, Santa Barbara |
| The use of eye-tracking as an outcome measure for an innovative early social intervention for ASD | \$29,972 | Q4.Other | University of California, Santa Barbara |
| Wireless EEG System for Training Attention and Eye Movement in ASD | \$307,351 | Q4.Other | UNIVERSITY OF CALIFORNIA SAN DIEGO |
| CHD8 and beta-catenin signaling in autism | \$62,500 | Q4.S.B | University of Chicago |
| Metabolic signature of antipsychotics used in the treatment of autism | \$0 | Q4.L.C | University of Cincinnati |
| LEAP-USA follow-up project | \$0 | Q4.S.D | University of Colorado, Denver |
| Parent Mediated Interventions in Autism: The Search for Meaningful Outcomes | \$298,282 | Q4.L.D | University of Colorado, Denver |

| Autism in Interaction with Facially Expressive Social Robots Embodied rhythm interventions for children with autism spectrum disorders An evaluation of two emergency procedures to treat severe escape behavior iSKILLS: The audio/video guidance repository for life skills Parents Taking Action: A Parent Training Intervention for Latino Immigrant Families Peer-Mediated AAC Intervention for Children with Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$0 | 9,500 96,215 08,485 | Q4.S.C Q4.S.H Q4.L.D Q4.L.D Q4.S.G | University of Colorado, Denver University of Connecticut University of Florida University of Georgia University of Illinois University of Kansas | |
|--|---------------------------|------------------------------------|---|--|
| spectrum disorders An evaluation of two emergency procedures to treat severe escape behavior iSKILLS: The audio/video guidance repository for life skills Parents Taking Action: A Parent Training Intervention for Latino Immigrant Families Peer-Mediated AAC Intervention for Children with Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$29,3000 \$30000 \$3000 \$30000 \$30000 \$30000 \$30000 \$30000 \$30000 \$30000 \$30000 \$ | 9,500 96,215 08,485 | Q4.S.H Q4.L.D Q4.L.D Q4.S.G | University of Florida University of Georgia University of Illinois | |
| severe escape behavior iSKILLS: The audio/video guidance repository for life skills Parents Taking Action: A Parent Training Intervention for Latino Immigrant Families Peer-Mediated AAC Intervention for Children with Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$0 | 96,215 08,485 | Q4.L.D Q4.S.G | University of Georgia University of Illinois | |
| Skills Parents Taking Action: A Parent Training Intervention for Latino Immigrant Families Peer-Mediated AAC Intervention for Children with Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$0 | 96,215 08,485 | Q4.L.D Q4.S.G | University of Illinois | |
| Latino Immigrant Families Peer-Mediated AAC Intervention for Children with Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$0 | 08,485 | Q4.S.G | | |
| Autism: Effects on Communication Modifiable Behavior & Dietary Predictors of Overweight in Children with ASD Improving social-communication, literacy, and adaptive \$0 | | | University of Kansas | |
| in Children with ASD Improving social-communication, literacy, and adaptive \$0 | 39,465 | 04.011 | | |
| | | Q4.S.H | University of Kansas | |
| behaviors for young children with autism spectrum disorders | | Q4.L.D | University of Kansas | |
| I-CONNECT PLUS: Enhancing Community Participation for Adolescents and Adults with ASD Using Online Instruction, Coaching, and Accessible Self-Management Technologies | 74,772 | Q4.L.D | University of Kansas | |
| Phase 2: Animated Visual Support for Social Support (AVISSS); An interactive virtual experience for social skill development | | Q4.Other | University of Kansas | |
| Kit for Kids evaluation project: An initial evaluation of evidence-based peer education materials \$9,96 | ,984 | Q4.L.D | University of Kentucky | |
| PASS: Parent-mediated intervention for autism spectrum disorders (ASD) in South Asia | | Q4.S.D | University of Liverpool | |
| Supporting early educators in suddenly inclusive ASD settings – An intervention feasibility study \$29, | 9,425 | Q4.L.D | University of Massachusetts, Boston | |
| Sulforaphane Treatment of Children with Autism \$1,20 Spectrum Disorder (ASD) | ,260,906 | Q4.S.C | University of Massachusetts, Worcester | |
| Contingency Analyses of Observing and Attending in Intellectual Disabilities \$268 | 68,224 | Q4.S.G | University of Massachusetts, Worcester | |
| Atypical Effects of Reinforcement Procedures in ASD \$203 | 03,513 | Q4.Other | University of Massachusetts, Worcester | |
| Stable Zebrafish Models of Autism Spectrum Disorder \$75, | 5,250 | Q4.S.B | University of Miami | |
| Evaluating the efficacy of the school-based Social Competence Intervention for Adolescents (SCI-A) with high functioning autism | 08,790 | Q4.L.D | University of Missouri | |
| Developing a school-based social competence social competence intervention (SCI) | | Q4.L.D | University of Missouri | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-------------|--------------------------|---|
| Developing a 3D-based virtual learning environment for use in schools to enhance the social competence of youth with autism spectrum disorder | \$0 | Q4.L.D | University of Missouri |
| Preclinical testing of novel oxytocin receptor activators in models of autism phenotypes | \$0 | Q4.S.B | University of North Carolina |
| Small-molecule compounds for treating autism spectrum disorders | \$0 | Q4.S.B | University of North Carolina |
| Preclinical testing of novel oxytocin receptor activators in models of autism phenotypes | \$0 | Q4.S.B | University of North Carolina |
| Preclinical testing of novel oxytocin receptor activators in models of autism phenotypes | \$0 | Q4.S.B | University of North Carolina |
| Effects of oxytocin receptor agonists in mouse models of autism spectrum disorder phenotypes | \$0 | Q4.S.B | University of North Carolina |
| Advancing Social-Communication and Play (ASAP): An intervention program for preschoolers with autism | \$653,343 | Q4.S.D | University of North Carolina |
| Brain Imaging Markers of Response to Intervention in Toddlers with Autism | \$141,759 | Q4.S.F | University of North Carolina |
| Study of Oxytocin in Autism to Improve Reciprocal Social Behaviors (SOARS-B) | \$2,562,872 | Q4.L.A | University of North Carolina |
| Efficacy of a parent-mediated intervention for one-year- olds at risk for autism | \$0 | Q4.L.D | University of North Carolina |
| Efficacy of the home TEACCHing program for toddlers with autism | \$0 | Q4.L.D | University of North Carolina |
| Center on Secondary Education for Students with Autism Spectrum Disorders (CSESA) | \$1,879,805 | Q4.L.D | University of North Carolina |
| Improving social-communication and engagement of elementary students with autism spectrum disorders | \$0 | Q4.L.D | University of North Carolina |
| Undergraduate Research Award | \$3,000 | Q4.L.D | University of Notre Dame |
| Project DATA: A multisite evaluation of a school-based model for preschoolers with autism | \$650,000 | Q4.S.D | University of Oklahoma Health Sciences Center |
| Evaluation of a comprehensive community-based intervention for toddlers with ASD | \$749,952 | Q4.S.D | University of Oklahoma Health Sciences Center |
| Examination of the mGluR-mTOR pathway for the identification of potential therapeutic targets to treat fragile X | \$0 | Q4.S.B | University of Pennsylvania |
| Comprehensive Phenotyping of Autism Mouse Models | \$58,713 | Q4.S.B | University of Pennsylvania |
| Safety, Efficacy and Basis of Oxytocin and Brain Stimulation Therapy in ASD | \$114,583 | Q4.S.B | University of Pennsylvania |
| Efficacy and sustainability of the STAR program | \$0 | Q4.S.D | University of Pennsylvania |
| Tailored behavioral intervention for insomnia in children with autism spectrum disorders | \$0 | Q4.S.H | University of Pennsylvania |

| Project Title | Funding | Strategic Plan Objective | Institution | |
|--|-----------|--------------------------|--|--|
| Which placement for which child? Moderators of outcome in an urban early intervention system | \$74,990 | Q4.L.D | University of Pennsylvania | |
| Undergraduate Research Award | \$3,000 | Q4.L.D | University of Pennsylvania | |
| 1/2 Treatment of Feeding Problems in Children with Autism | \$229,121 | Q4.S.A | University of Pittsburgh | |
| Efficacy of Parent-Child Interaction Therapy with ASD | \$30,000 | Q4.S.C | University of Pittsburgh | |
| Durability of Neuroplacisity Changes from Cognitive Enhancement Therapy | \$29,700 | Q4.S.C | University of Pittsburgh | |
| 5/5-Randomized Trial of Parent Training for Young Children with Autism | \$236,223 | Q4.S.D | University of Pittsburgh | |
| A randomized clinical trial of cognitive enhancement therapy for adults with autism spectrum disorders | \$0 | Q4.S.F | University of Pittsburgh | |
| 2/2-Treatment of Feeding Problems in Children with Autism | \$229,662 | Q4.S.A | UNIVERSITY OF ROCHESTER | |
| 3/5-Randomized Trial of Parent Training for Young Children with Autism | \$217,449 | Q4.S.D | UNIVERSITY OF ROCHESTER | |
| Investigation of Teacher-Mediated Toilet Training Using a Manualized Moisture Alarm Intervention | \$300,000 | Q4.S.H | University of Rochester | |
| Parent training to reduce the elopement of children with ASD at home and in the community | \$30,000 | Q4.S.H | University of Rochester | |
| HCC-Medium: Personalized socially-assistive human- robot interaction: Applications to autism spectrum disorder | \$0 | Q4.Other | University of Southern California | |
| 2/3 Treatment of Anxiety in Autism Spectrum Disorder | \$158,738 | Q4.S.A | UNIVERSITY OF SOUTH FLORIDA | |
| Evaluation of a melanocortin agonist to improve social cognition in autism | \$0 | Q4.L.A | University of Sydney | |
| Animal Model of Speech Sound Processing in Autism | \$251,777 | Q4.S.B | UNIVERSITY OF TEXAS DALLAS | |
| Novel therapeutic targets to treat social behavior deficits in autism and related disorders | \$0 | Q4.S.B | University of Texas Health Science Center, San Antonio | |
| Preclinical therapeutic target validation of glutamate receptors in Shank3 models of autism | \$0 | Q4.S.B | University of Texas Southwestern Medical Center | |
| Temporally controlled genetic rescue of Shank3 autism model | \$0 | Q4.S.B | University of Texas Southwestern Medical Center | |
| Characterization of brain and behavior in 7q11.23 duplication syndrome-Core | \$164,326 | Q4.S.B | University of Toronto | |
| Let's Face It! 2.0: Training the dynamics of facial expressions for children with ASD | \$29,656 | Q4.Other | University of Victoria | |
| Strengthening the effects of parent-implemented early intervention to improve symptoms of ASD | \$263,768 | Q4.S.D | University of Washington | |
| Preschool Reading and Language Interventions for Children with Autism | \$321,228 | Q4.L.D | University of Washington | |

| Project Title | Funding | Strategic Plan Objective | Institution | |
|--|-----------|--------------------------|--------------------------------|--|
| Testing Direct Effects of Soy Daidzein on Fragile X Phenotypes | \$73,143 | Q4.S.C | University of Wisconsin | |
| Brain Connectivity Changes in Autism as a Function of Motor Training: A Pilot Study | \$0 | Q4.S.F | University of Wisconsin | |
| Striatal synaptic Abnormalities in Models of Autism | \$397,500 | Q4.S.B | UT SOUTHWESTERN MEDICAL CENTER | |
| Novel Genetic Models of Autism | \$328,415 | Q4.S.B | UT SOUTHWESTERN MEDICAL CENTER | |
| EPC Systematic Review: Autism Spectrum Disorders - Update | \$0 | Q4.Other | Vanderbilt EPC | |
| Sleep education program for adolescents with autism spectrum disorders | \$10,000 | Q4.S.A | Vanderbilt University | |
| Modeling The Serotonin Contribution to Autism Spectrum Disorders | \$229,702 | Q4.S.B | Vanderbilt University | |
| Neurobiological Signatures of Social Dysfunction and Repetitive Behavior | \$390,000 | Q4.S.B | Vanderbilt University | |
| Evaluating hyperserotonemia as a biomarker of sensory dysfunction in autism spectrum disorder | \$0 | Q4.S.B | Vanderbilt University | |
| Comprehensive Communication Intervention for Minimally Verbal Children with Autism | \$299,922 | Q4.S.G | Vanderbilt University | |
| Efficacy of Parent-implemented Treatment in Infant Siblings of Children With ASD | \$662,190 | Q4.L.B | Vanderbilt University | |
| Related services intervention for expressive and receptive language skills in autism spectrum disorder and in cognitive impairment | \$0 | Q4.L.D | Vanderbilt University | |
| Peer support and peer network interventions to improve peer relationships and school engagement | \$0 | Q4.L.D | Vanderbilt University | |
| Using Peer Models in the Context of Small-Group Direct Instruction to Teach Social and Academic Skills to Children with Autism | \$185,042 | Q4.L.D | Vanderbilt University | |
| Improving Hospitalizations for Children with ASD: Testing the Cost and Clinical Efficacy of Integrated Behavioral Intervention | \$252,737 | Q4.L.D | Vanderbilt University | |
| Peers, play and performance to improve social interaction in autism | \$235,500 | Q4.Other | Vanderbilt University | |
| A novel adaptive transactional virtual reality-based assistive technology for autism intervention | \$0 | Q4.Other | Vanderbilt University | |
| Adaptive Response Technology for Autism Spectrum Disorders Intervention | \$373,849 | Q4.Other | Vanderbilt University | |
| NIH R21/R33: Transformative Co-Robotic Technology for Autism Intervention | \$248,271 | Q4.Other | Vanderbilt University | |
| Exploring links between multisensory and cognitive function in autism | \$0 | Q4.Other | Vanderbilt University | |
| | | | | |

| Project Title | Funding | Strategic Plan Objective | Institution | |
|--|-----------|--------------------------------|---------------------------------------|--|
| Does Mindfulness Training Enhance Early Evidence- based Parent-coaching Interventions? | \$296,160 | Q4.Other | Vanderbilt University | |
| Individualized Adaptive Robot-Mediated Intervention Architecture for Autism | \$0 | Q4.Other Vanderbilt University | | |
| Development of a novel neurotechnology to promote emotion recognition in autism | \$269,650 | Q4.Other | VIRGINIA POLYTECHNIC INST AND ST UNIV | |
| Behavioral and neural underpinnings of learning in autism predict response to intervention | \$0 | Q4.S.F | Weill Cornell Medical College | |
| Role of Caspr2 (CNTNAP2) in brain circuits- Core | \$89,999 | Q4.S.B | Weizmann Institute of Science | |
| Efficacy of a qigong massage methodology for children with ASD aged 3-11 years | \$299,991 | Q4.L.D | Western Oregon University | |
| Functional Analysis of Rare Variants in Genes Associated with Autism | \$146,625 | Q4.S.B | Yale University | |
| Neural Basis of Response to Virtual Reality Social Cognition Training in Adults with ASD | \$57,900 | Q4.S.F | Yale University | |
| The Effects of Oxytocin on Social Reciprocity in Individuals with ASD | \$35,000 | Q4.L.C | Yale University | |
| Gaze Modification Strategies for Toddlers with ASD | \$208,125 | Q4.Other | Yale University | |
| Studying and Improving Social Learning in Toddlers with ASD Using Interactive Eye Tracking | \$51,352 | Q4.Other Yale University | | |
| CIHR Chair: Autism Spectrum Disorders Treatment and Care Research | \$15,000 | Q4.Other | York University | |